



PRODUCT INFORMATION

Features

- Tested and certified by QAI Labs for CSA B-272.
- Seamless spun aluminum construction.
- Overall height: 12.6 in. (without cap).
- Stack top opening: 4.88 in. I.D.
- Available with 3 in., 4 in., or vandal-proof cap options.
- Caps are spun aluminum and mechanically attached.
- Designed for soil stack and sanitary vent pipe flashing.
- Heavy-gauge aluminum construction.
- Manufactured using soap lubricant and washed to eliminate oil residue.

Product Overview

Millenium Vent Stacks provide a durable spun-aluminum flashing solution for soil stacks, sanitary vent pipes and related roofing applications. Multiple cap configurations and insulated options are available.

Quality Assurance

Manufactured to Millenium quality standards. CSA B-272 tested as noted in the source literature. Product material warranty valid for 10 years from the date of purchase. Additional ISO 9001/CWB certifications may be added if applicable to the final corporate standard.

Applications

- Commercial roofing
- Institutional buildings
- Industrial facilities
- New construction and retrofit roof drainage systems

Customer Testimonial


"These stacks are top quality, premium grade aluminum and the best value I have ever seen on the market."


Advanced Roofing Inc.

Available Models

Description	SKU
VS/VPS base only 4.88" I.D.	80311-1
VS/VPS base only 4.88" I.D., 4" wide flange	80311-1W
Insulated VS/VPS base only	INS80311
Insulated VS/VPS base only, 4" wide flange	INS80311-W
3" Cap Only	90154
4" Cap Only	90155
Vandal Proof Cap Only	80311-2-3
6" Vent Stack Base 5.75" I.D.	VSB6
3" Cap Only	VSC300
3.75" Cap Only	VSC375
7" Vent Stack Base	VSB7
6" VS Cap for VSB7	VSC6
4" One-way Insulated Breather	13008
7" Two-way Breather	13009

Insulated Vent Stack





Head Office – Quebec
3200, 2e Rue
Saint-Hubert (QC) J3Y 8Y7

Ontario
27 Melanie Dr.
Brampton (ON) L6T 4K8

Maritimes
559, ch. Cocagne Sud
Cocagne (NB) E4R 2K2